

FLOOR PLANS
SPECIFICATIONS
& FEATURES

TERRY®

As you explore the possibilities of each model and floor plan of Terry travel trailers and fifth wheels, you'll understand why we are dedicated to quality and to the future. Every Fleetwood RV begins with a strong, durable foundation—a chassis that is extensively tested to assure you the best in safety, handling and comfort.

With Terry, you can choose from seven different categories and over 50 floor plans. The Terry Ultralite is our lightest and most affordable. The Terry Lite offers big-trailer features in a lightweight, compact package. Loaded with value and contemporary styling, the Terry is our most popular model. The Terry EX is a deluxe trailer and thanks to its multiple slide-out rooms, it's very spacious for its size. The Terry EXL is the ultimate travel trailer, with luxurious appointments providing you all the comforts of home in sophisticated style. The Terry SUT (Sport Utility Trailer) is our trailer with a cargo bay for all of your toys. And the Terry Park, is our residential park trailer—the perfect home away from home. Terry—sophistication, contemporary styling, comfort and quality you'll enjoy to own.



TAKE IN THE


TERRY®

TAKE IN LIFE.


2 0 0 0

TERRY ULTRALITE	Page 4
<p>Ultralite is our lightest, most affordable trailer. It's strong, laminated fiberglass and aluminum frame surrounds a comfortable, spacious and surprisingly well equipped interior. The Ultralite is easily towed by most minivans, sport utility vehicles and light-duty pickups.</p>	
TERRY LITE.....	Page 6
<p>Thanks to its full height and width, the value-packed Terry Lite offers many big-trailer features in a package that's compact, lightweight and easily maneuvered.</p>	
TERRY.....	Page 8
<p>With Terry, you get your choice of 18 floor plans, a huge list of standard features and a very affordable price.</p>	
WARRANTY INFORMATION	Page 13
TERRY EX	Page 14
<p>The EX is a Terry with a durable fiberglass exterior, more features, more luxuries and even nicer interiors. And thanks to multiple slide-outs, it's very roomy.</p>	
TERRY FEATURES AND BENEFITS	Page 19
TERRY EXL	Page 20
<p>The Terry EXL is the ultimate Terry for affordable luxury—double and triple slide-outs, fiberglass walls on an aluminum frame and, throughout, you'll discover elegance in every detail.</p>	
TERRY SPORT UTILITY TRAILER (SUT)	Page 22
<p>The Terry Sport Utility Trailer is a unique way to combine comfortable living with the ability to haul all of your recreational toys.</p>	
TERRY PARK	Page 23
<p>Vacation, retirement or off-campus dorm, the Terry Park is the perfect home away from home. Because you can choose the best location for you. And, when you want a change of scene, pick up your Park and go.</p>	


717 B
Tent Model




725 R




721 C
Tent Model




725 T



721 G



727 X



NEW!
Slide-Out Model

Exterior

- Aerodynamic Front Profile w/High-Impact ABS Cap*
- Independent Torsion Suspension System
- Laminated, Welded Aluminum Framed Walls, Floor and Ceiling
- Smooth Fiberglass Exterior
- Box Channel, Steel Cambered Chassis
- 10" Electric Brakes
- Durable Molded Wheel Well Skirts*
- One-Piece Seamless Rubber Roof
- Beadboard Insulation
- 26" Wide Main Radius Entry Door w/Window & Screen
- Reinforced Screen Door w/Lock Shield & Kick Panel
- Flush Combo Entry Latch/Dead Bolt Lock
- Large, Through-Storage Front Compartment*
- Skylight Roof Vents
- Wall-Switched Doorside Patio Light w/Amber Lens
- Battery Compartment

- Fully Enclosed Chassis*
- Enclosed Below Floor Water & Waste Tanks w/Remote Valve*
- Lower Radius Skirting w/ABS Corner Caps*

Interior

- Oak Mortise and Tenon Cabinet Doors
- Full-Length Vinyl Flooring Throughout
- Miniblinds Throughout (Except Bunks)
- Curtains at Bunks
- Decor-Coordinated Bedspread (Double or Queen)
- Quality Furniture by Flexsteel®

Galley

- Double Bowl Sink*
- Galley Storage
- Pantry Cabinet (Most Models)
- Decor Wall Border

Bath

- Overhead Medicine Cabinet w/Mirror*

- Thetford® Toilet
- Wall-Switched Ceiling Light
- Skylight in Tub/Shower*

Appliances/Equipment

- Dometic® LP/Electric Refrigerator
- Atwood® 3-Burner Cook Top*
- Range Hood w/12V Light and Exhaust Fan
- Wall-Mounted Systems Monitor Panel*
- LP Fast Recovery Water Heater, 6-Gallon
- 30-Gallon Water and Waste Tanks*
- hydroflame® Furnace w/Thermostat
- Microwave w/Turntable*
- A&E® Patio Awning*
- Enclosed Dual 5-Gallon LPG Tanks w/Regulator & Auto Changeover*
- Smoke Detector
- Fire Extinguisher
- Freeze Resistant Water Lines
- LPG Leak Detector
- Water Heater Bypass

Electrical

- Electronic Converter w/Built-in Battery Charger
- 120V Central Electrical Panel
- 120V Ground Fault Circuit Protection
- Prewired for TV Antenna*
- Prewired for Air Conditioner
- Prewired for Stereo and Speaker*

Terry Ultralite Popular Options

- Coleman® 13.5M BTU Roof Air Conditioner
- Front Combo Overhead Bunk (Most Models)
- Water Purifier
- AM/FM Cassette Stereo
- AM/FM CD Player
- Stabilizing Jacks/2 pair
- Spare Tire
- Chair
- TV Antenna

*Not all models include all features. See your dealer for complete details. *Feature not available on all tent models.*

Terry Ultralite Models	717 B	721 C	721 G	725 R	725 T	727 X
GVWR (Gross Vehicle Weight Rating)	3,500	4,400	4,400	4,900	4,900	6,000
Gross Dry Weight ¹	2,290	2,980	3,000	3,360	3,410	4,130
Carrying Capacity ²	1,210	1,420	1,400	1,540	1,490	1,870
Hitch Dry Weight ¹	220	360	350	350	390	420
Dry Axle Weight ¹	2,070	2,620	2,650	3,010	3,020	3,710
Length ³	17' 9"	21' 8"	21' 6"	25' 6"	25' 11"	27' 11"
Width ⁶	7' 2"	7' 2"	7' 2"	7' 2"	7' 2"	7' 2"
Height ⁴	8' 4"	8' 3"	8' 3"	8' 3"	8' 3"	8' 3"
Interior Height	76"	76"	76"	76"	76"	76"
Interior Width	84"	84"	84"	84"	84"	83"
Tires – Size (Radials)	ST205/ 75R 14(C)	ST175/ 80R 13(B)	ST175/ 80R 13(B)	ST175/ 80R 13(C)	ST175/ 80R 13(C)	ST175/ 80R 13(C)
Fresh Water Tank ⁵ – gal.	25	25	30	30	30	30
Gray Water Holding Tank ⁵ – gal.	30	30	30	30	30	30
Black Water Holding Tank ⁵ – gal.	7	30	30	30	30	30
Bed Size – Standard	60"x 74" Front Queen 44"x 74" Rear Double	60"x 74" Front Queen 44"x 74" Rear Double	48"x 74" Double	27"x 74" Bunk (2)	60"x 75" Queen	53"x 74" Double 27"x 74" Bunk (2)
	58"x 84" Dinette	26"x 72" Dinette 58"x 84" Dinette	58"x 84" Dinette	36"x 74" Dinette 58"x 84" Dinette		36"x 74" Dinette
Maximum Sleeping Capacity	6	8	6	8	5	8

¹ All dry weights are based on standard model features and do not include optional features or equipment.

² Carrying capacity is determined by subtracting Gross Dry Weight from GVWR. Carrying capacity includes all fluids, optional equipment and personal cargo.


³ Includes 3'6" for hitch.

⁴ Add 12" if equipped with optional roof air conditioner.


⁵ Approximate gallons.

⁶ Add 3" for awning.


824 E




824 5B Fifth Wheel Tent Model




824 Z




824 5C Fifth Wheel




825 B



825 5X Fifth Wheel



825 Y



▲ Exterior Storage

Exterior

- One-Piece Seamless Rubber Roof
- High Gloss Arctic White Exterior Finish
- Entry Door w/Window & Screen Door
- One-Piece Flush Latch/Dead Bolt Lock
- Awning
- 14" Spoke Wheels
- 4-Wheel Electric Brakes
- Powder Coated Bumper—Sewer Hose Carrier
- Locking, Insulated Luggage Doors w/Finger Pulls
- Potable Water Fill
- Exterior Shower
- Dual Safety Chains (Travel Trailers)
- Dual Battery Rack
- Single Entry Step

Interior

- Overhead Bunk Cabinet (Select Models)
- Large Radiused Torque & Slider Windows
- Miniblinds Throughout (Except Bunk Areas)
- Designer Valances
- Raised Oak Panel Overhead Doors
- Color-Coordinated Bedspread
- Bed-Lift Struts
- Folding Room Divider (Most Models)
- Indoor/Outdoor Dinette Table
- Full-Length Vinyl Flooring
- Sink Lid

Bath

- ABS Tub/Shower Pan
- Bath Medicine Cabinet w/Mirrored Door
- Towel Bars

- Large Dome Skylight
- Power Roof Vent
- Thetford® Freshwater Toilet

Appliances/Equipment

- Dometic® Double Door LP/Electric Refrigerator
- Magic Chef® 3-Burner, High-Output Range w/Oven
- Electric Touch Microwave w/Turntable
- 6-Gallon LP Water Heater
- Water Heater Bypass
- Large Stainless Steel Sink
- Fire Extinguisher
- Smoke Detector
- LPG Leak Detector
- 7-Gallon Dual LP Bottles w/Regulator & Auto-Changeover

Electrical

- Electric Cable Hatch/Storage Compartment
- 120V G.F.I. Protected Circuits
- Prewired for Optional Air Conditioner
- Wall-Switched Patio Light
- Hitch Light
- AM/FM Cassette Stereo
- TV Antenna/Park Cable

Terry Lite Popular Options

- Coleman® 13.5M BTU Roof Air Conditioner
- Tinted Safety-Glass Windows
- Spare Radial Tire w/Carrier
- Carpeting in Living Area & Bedroom
- Decor Mirror Doors
- Water Purifier

Not all models include all features. See your dealer for complete details.

Terry Lite Models	824 E	824 Z	825 B	825 Y	824 5B	824 5C	825 5X
GVWR (Gross Vehicle Weight Rating)	5,600	5,600	5,900	6,100	6,100	6,400	6,600
Gross Dry Weight ¹	3,810	3,810	4,040	4,330	4,460	4,680	4,870
Carrying Capacity ²	1,790	1,790	1,860	1,770	1,640	1,720	1,730
Hitch Dry Weight ¹	480	450	410	430	760	630	970
Dry Axle Weight ¹	3,330	3,360	3,630	3,900	3,700	4,050	3,900
Length ³	24' 2"	25' 9"	26' 6"	25' 11"	25' 1"	25' 4"	27' 11"
Width ⁶	8' 0"	8' 0"	8' 0"	8' 0"	8' 0"	8' 0"	8' 0"
Height ⁴	8' 11"	8' 11"	8' 11"	9' 3"	9' 6"	9' 10"	9' 10"
Tires – Size (Radials)	ST205/ 75R 14(B)	ST205/ 75R 14(B)	ST205/ 75R 14(B)	ST205/ 75R 14(B)	ST205/ 75R 14(B)	ST205/ 75R 14(B)	ST205/ 75R 14(B)
Fresh Water Tank ⁵ – gal.	40	40	40	40	40	40	40
Gray Water Tank ⁵ – gal.	40	40	40	30/30	40	30/30	30/30
Black Water Tank ⁵ – gal.	40	40	30	40	40	40	40
LPG Capacity – gal.	14	14	14	14	10	10	10
Bed Size – Standard	53"x 75" Double	53"x 75" Double 29"x 76" Bunk (2)	60"x 75" Queen	60"x 75" Queen	60"x 75" Queen 44"x 74" Double	60"x 75" Queen	60"x 75" Queen 29"x 76" Bunk (2)
Bed Size – Option		60"x 75" Queen			32"x 75" Twin (2)		
Maximum Sleeping Capacity	6	7	7	7	9	7	8

¹ All dry weights are based on standard model features and do not include optional features or equipment.

² Carrying capacity is determined by subtracting Gross Dry Weight from GVWR. Carrying capacity includes all fluids, optional equipment and personal cargo.


³ Trailer length includes 3'6" for hitch, fifth wheel includes pin box.

⁴ Add 12" if equipped with optional roof air conditioner.

⁵ Approximate gallons.


⁶ Add 3" for awning.

19 N



OPT. 846


22 C



OPT. 846

NEW!


24 J



OPT. 388


NEW!

25 L




OPT. 642

26 H




OPT. 642

26 T




OPT. 836

27 X





29 B




NEW!


29 S




31 G



OPT. 170




33 V




NEW!

37 E



with Park Model Features




OPT. 833



OPT. 854




OPT. 878




OPT. 863

▲ Exterior Storage


37 W




25 5B
Fifth Wheel




27 5J
Fifth Wheel




23 5M
Fifth Wheel



24 5P
Fifth Wheel



28 5S
Fifth Wheel



▲ Exterior Storage

TERRY STANDARD FEATURES

TERRY

Exterior

- Gloss Exterior Metal Finish
- Construction Steel Channel or I-Beam, Cambered Chassis
- Rear Bumper w/Sewer-Hose Carrier
- Locking, Insulated Luggage Doors w/Finger Pulls
- One-Piece Seamless Roof
- Engineered Radius Roof Truss Rafters
- R-7 Fiberglass Insulation
- 30" Wide Main Entry Door w/Window (Most Models)
- Flush Combo Entry Latch/Dead Bolt Lock
- Reinforced Screen Door w/Lock Shield & Kick Panel
- Radiused Slider and Torque Windows
- LPG Tank Cover (Travel Trailers)
- Skylight Roof Vents
- Hitch Light
- Wall-Switched Doorside Patio Light
- Welded Dual Battery Rack (Travel Trailers)
- Waste Tank Single-Point Termination Valve
- A&E® Patio Awning

Interior

- Quality Furniture by Flexsteel®
- Raised Oak Panel Cabinet Doors
- Overhead Dinette Storage Cabinet
- Innerspring Mattresses
- Decor-Coordinated Bedspread w/Pillow Shams
- Miniblinds Throughout (Except Bunks)

Galley

- Double Bowl Stainless Steel Sink
- High Pressure Laminate Countertop
- Overhead Storage Cabinet Above Sink
- Pantry Cabinet (Most Models)
- 120V Appliance Receptacle at Countertop

Bath

- Large Lavy Bowl
- Medicine Cabinet w/Mirrored Door
- Thetford® Fresh Water Flush Toilet
- 12V Power Roof Exhaust Vent
- Shower Curtain
- G.F.I. Protected 120V Duplex Receptacle
- Wall-Switched Ceiling Light

Appliances/Equipment

- Electric Microwave Oven w/Turntable
- Dometic® Double Door LP/Electric Refrigerator
- Magic Chef® 3-Burner, High-Output Range w/Oven
- Range Hood w/12V Light and Exhaust Fan
- Wall-Mounted Systems Monitor Panel
- Water Heater Bypass
- hydroflame® Forced Air, D.S.I. Furnace w/Thermostat
- In-Floor Rigid Heat Ducting
- In-Ceiling Rigid Air Conditioning Ducting (Most Models)
- Dual 7-Gallon LPG Tanks w/Regulator & Auto-Changeover
- Smoke Detector

- Fire Extinguisher
- Freeze-Resistant Water Lines
- LPG Leak Detector

Electrical

- Electronic Converter w/Built-in Battery Charger
- 120V Central Electrical Panel
- 120V Ground Fault Circuit Protection
- 120V Patio Receptacle
- Wall-Switched Interior Lights
- TV Antenna
- Prewired for Roof Air Conditioner
- AM/FM Cassette Stereo
- Cable TV Hook-Up

Terry Popular Options

- Living Room/Bedroom Carpet
- Coleman® Ducted Central Air Conditioning
- Exterior Shower
- Safety-Glass Windows
- Foot-Pedal Toilet
- Free-Standing Swivel Rocker
- 120V/LP Fast Recovery Water Heater
- Spare Tire
- Radius Luggage Doors
- Radius Entry Door
- Water Purifier

*Not all models include all features.
See your dealer for complete details.*

TERRY SPECIFICATIONS

TRAVEL TRAILERS
& FIFTH WHEELS



Terry Models	19 N	22 C	24 J	25 L	26 H	26 T	27 X	29 B	29 S	31 G
GVWR (Gross Vehicle Weight Rating)	5,400	5,700	6,200	6,400	7,700	6,800	7,000	8,300	7,400	8,600
Gross Dry Weight ¹	3,810	3,850	4,350	4,520	5,690	4,790	4,990	6,230	5,250	6,410
Carrying Capacity ²	1,590	1,850	1,850	1,880	2,010	2,010	2,010	2,070	2,150	2,190
Hitch Dry Weight ¹	420	480	570	540	610	610	580	900	590	830
Dry Axle Weight ¹	3,390	3,370	3,780	3,980	5,080	4,180	4,410	5,330	4,660	5,580
Length ³	20' 5"	23' 7"	25' 10"	26' 11"	27' 8"	28' 2"	28' 9"	30' 6"	31' 1"	31' 10"
Width ⁶	8' 0"	8' 0"	8' 0"	8' 0"	8' 0"	8' 0"	8' 0"	8' 0"	8' 0"	8' 0"
Height ⁴	8' 11"	8' 11"	8' 11"	9' 0"	9' 6"	9' 0"	9' 0"	9' 6"	9' 0"	9' 6"
Tires – Size (Radials)	ST205/ 75R 15(B)	ST205/ 75R 15(B)	ST205/ 75R 15(B)	ST205/ 75R 15(C)	ST205/ 75R 15(C)	ST205/ 75R 15(C)	ST205/ 75R 15(C)	ST225/ 75R 15(C)	ST205/ 75R 15(C)	ST225/ 75R 15(C)
Fresh Water Tank ⁵ – gal.	40	40	40	40	40	40	40	40	40	40
Gray Water Holding Tank ⁵ – gal.	40	40	40	40	40	40	40	40/21	40	40
Black Water Holding Tank ⁵ – gal.	40	40	40	40	40	40	40	40	40	40
LPG Capacity – gal.	14	14	14	14	14	14	14	14	14	14
Bed Size – Standard	53"x 75" Double	53"x 75" Double	60"x 75" Queen	60"x 75" Queen	60"x 75" Queen	60"x 75" Queen	60"x 75" Queen 29"x 74" Bunk (2)	60"x 75" Queen	60"x 75" Queen 29"x 74" Bunk (2)	60"x 75" Double 29"x 74" Bunk (2)
Bed Size – Option	29"x 76" Bunk (2) 29"x 76" Bunk (1)					32"x 75" Twin (2)		32"x 75" Twin (2)		
Maximum Sleeping Capacity	6	7	6	6	6	6	8	6	8	8

Terry Models (cont.)	33 V	37 E	37 W	23 5M	24 5P	25 5B	27 5J	28 5S
GVWR (Gross Vehicle Weight Rating)	7,700	9,700	10,000	7,500	7,900	8,000	8,800	9,300
Gross Dry Weight ¹	5,430	7,520	7,480	5,600	6,020	6,110	6,760	7,140
Carrying Capacity ²	2,270	2,180	2,520	1,900	1,880	1,890	2,040	2,160
Hitch Dry Weight ¹	650	1,050	1,050	930	980	1,140	1,110	1,300
Dry Axle Weight ¹	4,780	6,470	6,430	4,600	5,040	4,970	5,650	5,840
Length ³	33' 11"	38' 4"	38' 4"	25' 6"	25' 2"	26' 7"	27' 10"	29' 11"
Width ⁶	8' 0"	8' 0"	8' 0"	8' 0"	8' 0"	8' 0"	8' 0"	8' 0"
Height ⁴	9' 0"	9' 6"	9' 6"	11' 0"	11' 2"	11' 7"	11' 4"	11' 7"
Tires – Size (Radials)	ST205/ 75R 15(C)	ST225/ 75R 15(D)	ST225/ 75R 15(D)	ST205/ 75R 15(B)	ST205/ 75R 15(C)	ST205/ 75R 15(C)	ST225/ 75R 15(C)	ST225/ 75R 15(C)
Fresh Water Tank ⁵ – gal.	40	40	40	40	40	40	40	40
Gray Water Holding Tank ⁵ – gal.	40	40	40	40	40/21	40	40/21	40
Black Water Holding Tank ⁵ – gal.	40	40	40	40	40	40	40	40
LPG Capacity – gal.	14	14	14	14	14	14	14	14
Bed Size – Standard	60"x 75" Queen 29"x 74" Bunk (2)	60"x 75" Queen 29"x 76" Bunk (2)	60"x 75" Queen 29"x 76" Bunk (2)	60"x 75" Queen	60"x 75" Queen	60"x 75" Queen	60"x 75" Queen	60"x 75" Queen 29"x 74" Bunk (2)
Bed Size – Option	60"x 75" Queen		60"x 75" Queen					32"x 75" Twin (2)
Maximum Sleeping Capacity	10	12	12	6	6	6	6	8

¹ All dry weights are based on standard model features and do not include optional features or equipment.

² Carrying capacity is determined by subtracting Gross Dry Weight from GVWR. Carrying capacity includes all fluids, optional equipment and personal cargo.

³ Trailer length includes 3'6" for hitch, fifth wheel includes pin box.

⁴ Add 12" if equipped with optional roof air conditioner.

⁵ Approximate gallons.

⁶ Add 3" for awning.

OUR FAR REACHING WARRANTY & SERVICE PROGRAM

TERRY

Two Year Full Warranty

Leaving the Fleetwood dealership after you've purchased your RV doesn't mean leaving your dealer's commitment to your satisfaction behind. OWNERCARE, Fleetwood's extensive warranty and service program, provides two full years of total warranty coverage. OWNERCARE stands out as one of the RV industry's most comprehensive programs and includes systems, appliances, components and construction—with no service charges or costs to you.

Fully Transferable

At Fleetwood RV, we're confident in our products and don't hesitate to stand behind them. Your new Fleetwood not only comes with one of the industry's most comprehensive warranties, but that warranty is fully transferable during the full 24 months of warranty coverage (excludes Park Trailers).

National Coverage

Have a question about your new Fleetwood? We've got it covered—with one of the nation's largest trained dealer networks—ready to provide you with the services you need to make owning your RV enjoyable. Over 1,100 Fleetwood dealers throughout the U.S. and Canada are just a phone call away.

**An Extra Thank You**






Ask your dealer about your Thousand Trails complimentary 30-day membership certificate. It's your chance to get going in your new RV and enjoy some scenic camping, plus our way of thanking you again for your purchase of a Fleetwood RV. Happy (Thousand) Trails!

**24-Hour Roadside Assistance Program**

Complimentary, first-year roadside assistance coverage wherever you travel in the U.S. and Canada is available with every Fleetwood RV towable. Quality emergency road service from a nationwide network of service providers can help you with emergency towing, flat tire and lock-out assistance. Be sure to ask your dealer about this valuable program. All you need to do is sign up! After the first, free year, you can continue the service for many more years at a very reasonable cost.




See the 2000 Owner's Manual for complete details. Park Trailer has full one-year warranty. See dealer for details.




▲ Exterior Storage


37 W




30 5G
Fifth Wheel




24 5P
Fifth Wheel




30 5X
Fifth Wheel



27 5J
Fifth Wheel




▲ Exterior Storage




OPT. 966

31 5R
Fifth Wheel

NEW!




32 5F
Fifth Wheel




NEW!

32 5D
Fifth Wheel



34 5B
Fifth Wheel



▲ Exterior Storage

TERRY EX STANDARD FEATURES

TERRY

Exterior

- Smooth Fiberglass Sidewalls
- Construction Steel Channel or I-Beam, Cambered Chassis
- Prewired for DSS Satellite
- Rear Bumper w/Sewer-Hose Carrier
- Radius Locking, Insulated Luggage Doors w/Finger Pulls
- One-Piece Seamless Rubber Roof
- Engineered Radius Roof Truss Rafters
- R-7 Blanket Fiberglass Insulation
- 30" Wide Main Entry Door w/Window (Most Models)
- Flush Combo Entry Latch/Dead Bolt Lock
- Reinforced Screen Door w/Lock Shield & Kick Panel
- Smoke Tint Windows
- Skylight Roof Vents
- A&E® Patio Awning
- Convenience Lighting – Hitch and Roadside Utility
- Wall-Switched Doorside Patio Light
- Welded Dual Battery Rack (Travel Trailers)
- Waste Tank Single-Point Termination Valve

Interior

- Quality Furniture by Flexsteel®
- Oak Frame Cabinet Doors w/Oak Raised Inserts
- Overhead Dinette Storage Cabinet
- Box-Wrapped Valance Window Treatment w/Privacy Lambrequins
- Living Area & Bedroom Carpet w/Foam Padding
- Innerspring Mattresses
- Decor-Coordinated Bedspread w/Pillow Shams
- Ceiling Mounted 120V Decor Lights (Most Models)
- Wall-Mounted 120V Decor Light
- Wainscot Molding
- Miniblinds Throughout (Except Bunks)

Galley

- Single-Lever Residential Faucet
- Overhead Storage Cabinet Above Sink
- Pantry Cabinet w/Shelves (Most Models)
- Spice Shelf
- Large Pots/Pans Drawer (Most Models)
- Knife Block
- Under Cabinet Coffee Maker

Bath

- Medicine Cabinet w/Mirrored Oak Door
- Foot Operated Fresh-Water Flush Toilet
- One-Piece ABS Tub Walls
- 12V Power Roof Exhaust Vent
- Wall-Switched Ceiling Light
- Skylight in Tub/Shower
- Shower Massage

Appliances/Equipment

- Electronic Microwave Oven w/Turntable
- Dometic® Double Door LP/Electric Refrigerator
- Magic Chef® 3-Burner, High-Output Range w/Oven
- Range Hood w/12V Light and Exhaust Fan
- Wall-Mounted Systems Monitor Panel
- LP/D.S.I. Fast Recovery Water Heater, 6-Gallons
- Water Heater Bypass
- hydroflame® Forced Air, D.S.I. Furnace w/Thermostat
- In-Floor Rigid Heat Ducting
- In-Ceiling Rigid Air Conditioning Ducting
- Dual 7-Gallon LPG Tanks w/Regulator & Auto-Changeover
- Smoke Detector
- Fire Extinguisher
- TV Antenna
- Freeze-Resistant Water Lines
- LPG Leak Detector

Electrical

- Electronic Converter w/Built-in Battery Charger
- 120V Central Electrical Panel
- 120V Ground Fault Circuit Protection
- 120V Patio Receptacle
- Wall-Switched Interior Lights
- Prewired for Roof Air Conditioner
- AM/FM Cassette Stereo
- Cable TV Hook-Up
- 12V Power Jack (Fifth Wheels Only)

Terry EX Popular Options

- Coleman® Ducted Central Air Conditioning
- Free-Standing Swivel Rocker
- Water Purifier
- Plank Flooring
- 120V/LP/D.S.I. Fast Recovery Water Heater
- Spare Tire
- AM/FM CD Player

*Not all models include all features.
See your dealer for complete details.*

Terry EX Models	26 H	26 T	27 F	29 B	31 G	34 P	37 W	24 5P
GVWR (Gross Vehicle Weight Rating)	8,300	7,300	8,600	8,800	9,100	10,100	10,400	8,100
Gross Dry Weight ¹	6,180	5,200	6,430	6,610	6,830	7,650	7,830	6,230
Carrying Capacity ²	2,120	2,100	2,170	2,190	2,270	2,450	2,570	1,870
Hitch Dry Weight ¹	670	660	870	940	860	1,020	1,100	1,020
Dry Axle Weight ¹	5,570	4,540	5,560	5,670	5,970	6,630	6,730	5,210
Length ³	27' 8"	28' 2"	29' 2"	30' 6"	31' 10"	35' 0"	38' 5"	25' 2"
Width ⁶	8' 0"	8' 0"	8' 0"	8' 0"	8' 0"	8' 0"	8' 0"	8' 0"
Height ⁴	9' 6"	9' 0"	9' 6"	9' 6"	9' 6"	9' 6"	9' 6"	11' 7"
Tires – Size (Radials)	ST225/ 75R 15(C)	ST205/ 75R 15(C)	ST225/ 75R 15(C)	ST225/ 75R 15(C)	ST225/ 75R 15(C)	ST225/ 75R 15(D)	ST225/ 75R 15(D)	ST205/ 75R 15(C)
Fresh Water Tank ⁵ – gal.	40	40	40	40	40	40	40	40
Gray Water Holding Tank ⁵ – gal.	40	40	40	40/21	40	40/21	40	40/21
Black Water Holding Tank ⁵ – gal.	40	40	40	40	40	40	40	40
LPG Capacity – gal.	14	14	14	14	14	14	14	14
Bed Size – Standard	60"x 75" Queen	60"x 75" Queen	60"x 75" Queen	60"x 75" Queen	60"x 75" Queen	60"x 75" Queen	60"x 75" Queen	60"x 75" Queen
Bed Size – Option		32"x 75" Twin (2)			29"x 74" Bunk (2)		29"x 76" Bunk (2)	
Maximum Sleeping Capacity	6	6	6	6	8	6	11	6

Terry EX Models (cont.)	27 5J	30 5G	30 5X	31 5R	32 5D	32 5F	34 5B
GVWR (Gross Vehicle Weight Rating)	9,400	11,300	10,900	12,100	12,100	12,300	13,600
Gross Dry Weight ¹	7,250	8,100	7,830	8,580	8,890	8,810	9,650
Carrying Capacity ²	2,150	3,200	3,070	3,520	3,210	3,490	3,950
Hitch Dry Weight ¹	1,220	1,590	1,590	1,720	1,820	1,690	1,920
Dry Axle Weight ¹	6,030	6,510	6,240	6,860	7,070	7,120	7,730
Length ³	27' 10"	32' 0"	31' 3"	33' 4"	32' 11"	33' 10"	35' 10"
Width ⁶	8' 0"	8' 0"	8' 0"	8' 0"	8' 0"	8' 0"	8' 0"
Height ⁴	11' 7"	11' 7"	11' 7"	11' 7"	11' 9"	11' 9"	11' 9"
Tires – Size (Radials)	ST225/ 75R 15(C)	ST225/ 75R 15(D)	ST225/ 75R 15(C)	LT215/ 85R 16(E)	ST225/ 75R 15(D)	LT235/ 85R 16(E)	LT235/ 85R 16(E)
Fresh Water Tank ⁵ – gal.	40	50	50	50	50	50	50
Gray Water Holding Tank ⁵ – gal.	40/21	40	40/21	40	40	40	40/21
Black Water Holding Tank ⁵ – gal.	40	40	40	40	40	40	40
LPG Capacity – gal.	14	14	14	14	14	14	14
Bed Size – Standard	60"x 75" Queen	60"x 80" Queen	60"x 80" Queen	60"x 75" Queen	60"x 80" Queen	60"x 80" Queen	60"x 80" Queen
Bed Size – Option		60"x 75" Queen	60"x 75" Queen	60"x 75" Queen	60"x 75" Queen	60"x 75" Queen	60"x 75" Queen
Maximum Sleeping Capacity	6	6	6	6	6	6	6

¹ All dry weights are based on standard model features and do not include optional features or equipment.

² Carrying capacity is determined by subtracting Gross Dry Weight from GVWR. Carrying capacity includes all fluids, optional equipment and personal cargo.

³ Trailer length includes 3'6" for hitch, fifth wheel includes pin box.

⁴ Add 12" if equipped with optional roof air conditioner.

⁵ Approximate gallons.

⁶ Add 3" for awning.

TERRY FEATURES & BENEFITS




Name Brand Furniture and Appliances

Flexsteel®, Magic Chef® and Dometic® are just a few of the respected brand names you will find in your Terry to insure comfort, quality, and reliability.



Solid Construction

Whether it's steel, aluminum, fiberglass or wood, we always choose the most appropriate materials for use in our towables.



Dura-Glide™ Slide-Room System

Our exclusive Dura-Glide™ System is the most reliable and durable available. Powered by an electric motor, its simple rack-and-pinion mechanism assures smooth, even, tooth-by-tooth operation.



Kitchen Cabinet Storage

Terry's kitchen cabinets are residential in size—deep enough and wide enough to accommodate full-size dishes and tall enough for large cereal boxes.



Water Purifier


Pure drinking water is an important concern when you travel in your Terry. To ensure a good supply have your Terry equipped with this optional water purifier.




Centralized Water Area

The water connections have been grouped together to make hooking up your RV easy and quick.


34 P



34 5L
Fifth Wheel




33 5M
Fifth Wheel



OPT. 125 & 126

35 5Y
Fifth Wheel



▲ Exterior Storage

Exterior

- Smooth Fiberglass Exterior Sidewalls
- Fiberglass Front Cap
- Aluminum Frame Construction
- Dual Battery Compartment or Rack
- Integrated Tail Lights
- One-Piece Rubber Roof
- Fiberglass Insulation
- 30" Wide Radiused Main Entry Door
- Flush Mount, Combo Entry Latch/Dead Bolt Lock
- Convenience Lighting – Hitch/LP Tanks/Roadside
- Large Doorside Security Light
- High-Strength Welded I-Beam, Cambered Chassis
- Exterior Shower
- Polyethylene Wheel Well Skirts (Fifth Wheels Only)
- Locking, Insulated, Radiused Luggage Doors w/Finger Pulls
- Large, Solar-Reflective White Framed Radiused Windows (Torque & Slider)

- 12V Power Jack (Fifth Wheels Only)
- Ladder
- Shock Absorbers
- In-Chassis Spare Tire Carrier
- Pass-Through Exterior Storage (Fifth Wheels Only)
- Fully Enclosed, Heated Holding Tanks w/Remote Valve
- Power Landing Gear (Fifth Wheels Only)
- A&E® Patio Awning

Interior

- Oak Framed Cabinet Doors w/Oak Raised Inserts
- Deluxe Carpet w/Residential Rebond Foam Pad in Living Room and Bedroom
- Upgraded Innerspring Mattress
- Bed Top Lift Mechanism to Storage Area
- Oak Dinette Table w/Four Chairs
- Quality Flexsteel® Sleeper Sofa
- Free-Standing Flexsteel® Lounge Recliner
- Decor-Coordinated Bedspread w/Pillow Shams

- 120V Ceiling Mount Decor Light over Dining Table
- 120V Wall-Mount Decor Lights in Living Area
- Designer Window Treatments with Miniblinds
- Adjustable Reading Lights Over Beds & Chairs
- Plank Flooring at Entry

Appliances/Equipment

- Large Dometic® Double Door LP/Electric Refrigerator
- Raised Panel Refrigerator Door
- 3-Burner, High-Output Range w/Oven
- Wall-Mounted Systems Monitor Panel
- LP/120V D.S.I. Water Heater – 10-Gallon
- hydroflame® D.S.I. Furnace w/Thermostat
- In-Floor Rigid Heat Ducting
- In-Ceiling Rigid Air Conditioning Ducting
- Deluxe AM/FM Stereo CD Player
- Park Cable TV Hook-Up Connection
- Dual 7-Gallon LPG Tanks w/Sight Gauge & Auto-Changeover
- Electronic Microwave Oven w/Turntable
- Smoke Detector
- Fire Extinguisher
- TV Antenna
- Satellite Dish Ready
- Phone Jack
- Washer/Dryer Ready (Most Models)

Galley

- Kitchen Counter Edged Top
- Spice Rack
- Plank Flooring
- Knife Block
- Under Cabinet Coffee Maker

Bath

- Large Medicine Cabinet w/Mirrored Door
- One-Piece ABS Tub/Shower Walls
- Glass Tub Enclosure
- Bath Skylight
- 12V Power Roof Exhaust Vent
- Fresh Water, Foot-Operated Flush Toilet
- Wall-Switched Ceiling Light
- 3-Bulb Vanity Light
- Shower Massage

Electrical

- 40-Amp, 12V All Electronic Converter w/Battery Charger
- 120V Central Electrical Panel
- 120V Ground Fault Circuit Protection
- 120V Patio Receptacle
- Wall-Switched Interior Lights
- Fluorescent Lights (Galley)

Terry EXL Popular Options

- Coleman® Ducted Central Air Conditioning
- Water Purifier
- Generator Ready
- Double Insulation in Ceiling and Floor
- Full Entertainment Center w/Residential TV, VCR & CD Player w/Changer
- Day/Night Shades Throughout

Not all models include all features. See your dealer for complete details.

Terry EXL Models	34 P	33 5M	34 5L	35 5Y
GVR (Gross Vehicle Weight Rating)	10,400	13,100	13,700	13,600
Gross Dry Weight ¹	7,930	10,180	10,550	10,430
Carrying Capacity ²	2,470	2,920	3,150	3,170
Hitch Dry Weight ¹	1,100	1,850	2,030	2,160
Dry Axle Weight ¹	6,830	8,330	8,520	8,270
Length ³	34' 10"	34' 7"	35' 10"	36' 3"
Width ⁶	8' 0"	8' 0"	8' 0"	8' 0"
Height ⁴	9' 6"	11' 9"	11' 9"	11' 9"
Tires – Size (Radials)	ST 225/ 75R 15(D)	LT 235/ 85R 16(E)	LT 235/ 85R 16(E)	LT 235/ 85R 16(E)
Fresh Water Tank ⁵ – gal.	40	60	60	60
Gray Water Holding Tank ⁵ – gal.	40/21	55/21	40/40	40/21
Black Water Holding Tank ⁵ – gal.	40	40	40	40
LPG Capacity – gal.	14	14	14	14
Bed Size – Standard	60"x 75" Queen	60"x 75" Queen	60"x 75" Queen	60"x 75" Queen
Maximum Sleeping Capacity	4	4	4	4

¹ All dry weights are based on standard model features and do not include optional features or equipment.



² Carrying capacity is determined by subtracting Gross Dry Weight from GVWR. Carrying capacity includes all fluids, optional equipment and personal cargo.

³ Trailer length includes 3'6" for hitch, fifth wheel includes pin box.

⁴ Add 12" if equipped with optional roof air conditioner.

⁵ Approximate gallons.

⁶ Add 3" for awning.



Terry SUT Models	24 B	26 A	33 5G
GVWR (Gross Vehicle Weight Rating)	9,500	9,600	11,600
Gross Dry Weight ¹	6,010	6,150	7,480
Carrying Capacity ²	3,490	3,450	4,120
Hitch Dry Weight ¹	820	920	1,850
Dry Axle Weight	5,190	5,230	5,630
Overall Length ³	27' 10"	29' 7"	33' 7"
Storage Length – Standard	13' 4"	13' 7"	14' 7"
Storage Length – w/Optional Wall	7' 1"	7' 1"	7' 1"
Width ⁶	8' 5"	8' 5"	8' 5"
Height ⁴	11' 3"	11' 3"	11' 3"
Tires – Size (Radials)	ST225/75R 15(D)	ST225/75R 15(D)	ST225/75R 15(D)
Fresh Water Tank ⁵ – gal.	50	50	50
Gray Water Holding Tank ⁵ – gal.	40	40	40
Black Water Holding Tank ⁵ – gal.	40	40	40
LPG Capacity – gal.	14	14	14
Bed Size – Standard	38"x76" Dinette/Sleeper	49"x78" Double	60"x80" Queen
Bed Size – Option	60"x93" Queen Loft	38"x76" Dinette/Sleeper 60"x93" Queen Loft	38"x76" Dinette/Sleeper 60"x93" Queen Loft
Maximum Sleeping Capacity	6	8	8

¹ All dry weights are based on standard model features and do not include optional features or equipment.

² Carrying capacity is determined by subtracting Gross Dry Weight from GVWR. Carrying capacity includes all fluids, optional equipment and personal cargo.


³ Trailer length includes 3'6" for hitch, fifth wheel includes pin box.
⁴ Add 12" if equipped with optional roof air conditioner.

⁵ Approximate gallons.
⁶ Add 3" for awning.


▲ Exterior Storage

➔ = Fold Down Rear Door



39 F



39 W



39 T



Terry Park Models

	39 F	39 T	39 W
GVWR (Gross Vehicle Weight Rating)	11,000	11,000	10,800
Gross Dry Weight ¹	8,380	8,760	8,440
Hitch Dry Weight ¹	840	930	850
Overall Length ²	39' 10"	39' 10"	39' 10"
Body Length	37' 3"	37' 3"	37' 3"
Width	8' 6"	8' 6"	8' 6"
Height ³	10' 2"	10' 2"	10' 2"
Tires – Size (Radials)	ST225/75R 15	ST225/75R 15	ST225/75R 15
Tire Load Range	D	D	D
LPG Capacity – gal.	20 (Optional)	20 (Optional)	20 (Optional)
Bed Size – Standard	60"x 80" Queen	60"x 80" Queen	60"x 80" Queen
Bed Size – Option	N/A	N/A	29"x 76" Bunk (3)
Maximum Sleeping Capacity	6	8	9

¹ All dry weights are based on standard model features and do not include optional features or equipment.

² Includes 2'6" for hitch.

³ Add 12" if equipped with optional roof air conditioner.

N/A = Not available at time of printing.

▲ Exterior Storage

FLEETWOOD RV AND MOTOR SPORTS: A WINNING TEAM

At Fleetwood RV, we've got plenty of vehicles on the road that we're proud of. But did you know we also have some special drivers we like boasting about, too? Like Winston Cup driver Dale Jarrett and the Robert Yates Racing Team. For years, Fleetwood RV has been a proud sponsor of these exciting professional racers and we invite you to take your part in the thrill of live racing action. Look for Fleetwood RV as the official Recreational Vehicle of the following race tracks to make the most of your day at the race: California Speedway, Daytona International Speedway, Phoenix International Raceway and Talladega Superspeedway.



IMPORTANT—PLEASE READ:


Product information and photography included in this brochure were as accurate as possible at the time of publication. Subsequent refinements may be evident in the actual product. Prices and specifications are subject to change without notice. Selected color items shown in the photographs are not part of the product unless specified. All liquid capacities are approximate and dimensions are nominal. Some models may not be available from all manufacturing plants. Floor plans are subject to change during the model year. Contact your dealer for complete details.

FLEETWOOD RV FOR 50 YEARS

Dear Friend,

This year is a very significant milestone for all of us at Fleetwood RV. Not only is this our new millennium model year, it is also the Golden Anniversary of our company. For 50 years, we have designed and built RVs so that our customers can travel the many beautiful highways and byways of America in comfort.

When Fleetwood began in 1950, we could only dream that 50 years later we would be the world's largest RV manufacturer, with



Fleetwood Sporter Trailer (circa 1950)



the most popular, highly-recognized RVs on the road. One thing's for sure—none of us could have done it alone. At Fleetwood, we have a team of the finest craftsmen, designers, engineers, and product line professionals—over 8,000 caring individuals from the plant floor to me—all working to be the best we can for you. We add to this the best dealer partners in the world so that you'll feel confident in your Fleetwood every mile of every stretch of road you travel.

Your local dealer is:

If your local dealer is not indicated, write to the address below,
call us toll-free 24-hours-a-day at

1-800-444-4905

or visit our website at www.fleetwood.com

FLEETWOOD® RV

America's Favorite Recreational Vehicle

CONTINUING THE COMMITMENT

For all of us at Fleetwood this first 50 years has been an exciting journey, from the early days of our original travel trailer and motor home prototypes to our current luxury models sporting the 50th Anniversary logo. We thank you for making us the great company we are today. Building the best product we can for your enjoyment is the key to our success, and you have my promise that we'll be here when you need us—for the next 50 years.

See you on the road!

Glenn Kummer
Chairman and CEO
Fleetwood Enterprises, Inc.

© 1999 Fleetwood Enterprises, Inc.
Litho in USA 12/99

Fleetwood Enterprises, Inc. • RV Marketing • P.O. Box 7638 • Riverside, CA 92513-7638

Second Edition
Inventory Control No. 280002